



## WESTONFENCE FENCING ACCESSORIES

Westonfence™ has partnered with JVA Australia and Strainrite Fencing Systems to supply electric fencing accessories.



Electric Fencing Solutions  
Exclusion Fencing  
Boundary Fencing  
Subdivision Fencing  
Retrofit Solutions  
Assessment and Consultation

---

Westonfence™ has partnered with  
**JVA Australia** and  
**Strainrite Fencing Systems**  
to deliver electric fencing products for  
perimeter security and livestock  
management.



Solar Energisers .....	2
Mains / Battery Energisers .....	3
Fence Station .....	4
Fault Finders & Diverter .....	4
Solar Panels .....	5
WiFi Anywhere .....	6



Cables, Wire & Clamps .....	7
Insulators & Earthing .....	8
Joiners .....	9
Fencing Tools .....	10

# Solar Energisers

JVA offers a range of solar powered Electric Fence Energisers which are ready to go straight out of the box. The rechargeable battery and integrated solar panel saves time and money, and is designed to give years of trouble free service.

## SV2

SV2 Electric Fence Energiser is the perfect portable strip grazing solution. It also packs enough punch to be great in small permanent electric fence setups.

Features:

- Fully integrated solar panel, battery, and mounting bracket
- Highly efficient and intelligent digital circuit
- Sealed and rugged, UV stable enclosure



## SV5

SV5 Electric Fence Energiser is great in small to medium sized permanent electric fence setups. Slightly larger than the SV2, the SV5 is still portable and easy to install.

Features:

- Fully integrated solar panel, battery, and mounting bracket
- LCD shows fence voltage, stored energy and battery voltage
- Power on demand (automatically increases power when required)



## SV10Li

SV10 Electric Fence Energiser is great in medium to large sized permanent setups. Slightly larger than the SV5, the SV10 is still portable and easy to install.

Features:

- Fully integrated solar panel, battery, and mounting bracket
- LCD shows fence voltage, stored energy and battery voltage
- Power on demand (automatically increases power when required)
- With built in Lithium battery



## Solar Energisers

CODE	MODEL	MAX DISTANCE	PEAK OUTPUT	STORED ENERGY	OUTPUT ENERGY	DIMENSIONS	PRODUCT WEIGHT
WFSV2	SV2	Up to 2 km	6.4kV	0.45J	0.1J	285 x 155 x 200	2.4kg
WFSV5	SV5	Up to 5 km	7.5kV	0.75J	0.5J	350 x 230 x 280	5.8kg
WFSV10Li	SV10Li	Up to 10 km	8.0kV	1.1J	0.8J	350 x 230 x 280	4kg

# Mains / Battery Energisers

If versatility is what you need, then these are the best choice. Mains / Battery or 'Universal' powered Energisers are a great option if you are not sure that you will always have 240V available. Powered by 240Vac mains, or 12V battery, these units certainly make no sacrifices for their versatility, in fact they are even more powerful than JVA original mains only units.



**MB8  
MB12  
MB16**

MB8, MB12 and MB16 Electric Fence Energisers now include built in Wi-Fi and can be controlled from anywhere in the world using JVA's free IP Energiser Controller App. These Energisers also include Auto-sync™ Technology which helps keep your fences safe.

Features:

- IP Energiser® technology with built in Wi-Fi
- LCD shows fence voltage, stored energy and battery voltage
- Power on demand, automatically ramps up power when needed
- Bi-Polar or Conventional outputs



**Jumbo  
JMB32ZM1**

A powerful and feature rich Electric Fence Energiser; the Jumbo Mains Battery (JMB) series is designed for large permanent Electric Fencing applications. The JMB series combines Energiser and Monitor technologies, and produces up to 46J of stored energy.

Features:

- Power and monitor up to two fence zones
- Built in Wi-Fi
- Controlled and monitored through JVA Virtual Keypad™
- Can be controlled and monitored through Cloud Router® using external Wi-Fi Gateway or Cellular Gateway
- Mains or battery powered, or mains with battery backup
- Power on demand - automatically adjust power to fence conditions
- Measures feed, return and ground voltages
- Contains our patented Distant Fault Detection (DFD™) - to sense faults along longer fence lines

## Mains / Battery Energisers

CODE	MODEL	PEAK OUTPUT	STORED ENERGY	OUTPUT ENERGY	DIMENSIONS	PRODUCT WEIGHT
WFMB8	MB8	8.2kV	11J	8.6J	250 x 180 x 136	3.1kg
WFMB12	MB12	8.1kV	16.5J	12.3J	250 x 180 x 136	3.1kg
WFMB16	MB16	8.8kV	24J	16J	250 x 180 x 136	3.1kg
WFJMB32ZM1	JMB32ZM1	9.5kV	46J	32J	300 x 400 x 160	8.7kg

# Fence Station

A monitored electric fence reduces maintenance by reporting whenever there is a fault and by allowing you to check the fence from wherever you are. The Fence Station combines all our great technology in one secure, waterproof enclosure; providing an all-in-one, solar powered fence Energiser and monitor solution for up to 20km of boundary fence or a lot more internal fencing.

## Fence Station

Incorporating JVA's Cloud Router™ system with our JVA Jumbo Energiser Monitors; the Fence Station can power and monitor up to two separate sections of fence, detect any faults and notify you directly to your mobile phone or PC. Get peace of mind that your fence is working day and night, with the latest technology from JVA.

Features:

- Featuring our powerful JMB25ZM1 Energiser and Monitor
- Power up to two 10km sections of boundary fence
- Control in the palm of your hand with Cloud Router™
- Waterproof cabinet
- 405W solar panel with mounting bracket
- 20A MPPT Solar regulator
- Cellular Gateway works with any Australian mobile network
- Optional Wi-Fi Gateway connects multiple Wi-Fi devices to 3G/4G network
- Pre-wired with solar and battery leads



## Fence Station

CODE	MODEL	ENERGISER	SOLAR PANEL
WFFS32-1	Fence Station	JMB25ZM1	405W

## Fault Finder



Fault Finder clearly displays voltage and current with just one touch. Will also indicate fault direction to help you find faults fast.

Code: WFFF

## Remote Fault Finder



Directional Fault Finder & Remote

Code: WFFFR

## Multi-Stage Lightning Diverter




Robust multi-stage lightning diverter and RFI filter protects your Energiser from lightning strikes and aids in reducing electrical interference.

Code: WFLD

# Solar Panels



Suitable for most Electric Fence Energisers, JVA's range of Solar Panels are a quick, simple way to have a portable solar fence Energiser - secure to any star picket, attach a 12V lead acid battery and then connect your Energiser.



**SA100**  
**SA150**  
**SA190**

SA100, SA150 and SA190 Solar Panels are suitable for larger Electric Fence Energisers such as the MB8, MB12 or MB16 Energisers.

Features:

- 100W or 150W Solar panel, solar regulator, and mounting bracket
- 12A Solar Regulator
- Sturdy aluminium bracket

## Solar Panels

CODE	MODEL	SPECIFICATION	RECOMMENDED ENERGISERS	DIMENSIONS H x W x D (mm)	PRODUCT WEIGHT
WFSA100	SA100	100W Solar	MB8, MB12	1000 x 780 x 80	11.1kg
WFSA150	SA150	150W Solar	MB12, MB16	1490 x 780 x 90	15.2kg
WFSA190	SA190	190W Solar	MB12, MB16	TBA	TBA

# Wi-Fi Anywhere


JVA's ground breaking Wi-Fi Anywhere™ combines the power of the sun with a USB modem and any Australian standard SIM card to produce Wi-Fi from cellular networks. Designed to connect devices like JVA IP Energizers®, IP Cameras, Automatic Gates, Weather Stations, Pumps, Water monitors and Alarm systems to the Internet.

## Wi-Fi Anywhere

WA100, WA150 and WA190 Wi-Fi Anywhere™ units are suitable to work with larger IP Energizers™, IP Cameras, Automatic Gates, Weather Stations, Pumps, Water monitors and Alarm systems.

Features:

- Battery level indicator (external battery required)
- 100W or 150W solar panel works throughout Australia
- Includes \$5 prepaid SIM



## Wi-Fi Anywhere

CODE	MODEL	SPECIFICATION	DIMENSIONS H x W x D (mm)	PRODUCT WEIGHT
WFWA100	WA100	100W Solar Wi-Fi Anywhere™	1000 x 780 x 80	11.1kg
WFWA150	WA150	150W Solar Wi-Fi Anywhere™	1490 x 780 x 90	15.2kg
WFWA190	WA190	190W Solar Wi-Fi Anywhere™	TBA	TBA

## IP Energiser App


The JVA IP Energiser® and IP Energiser Controller® app combine the latest technology to provide you with an all-in-one solution to electric fence management.

With in-built wireless capabilities, the Energiser works by sending updates and alarms to your phone via your home or farm's local Wi-Fi network. When problems do occur, the IP Controller® keeps you in control, allowing you to turn the Energiser off and on remotely at the touch of a button.

Features:

- Real-Time Notifications
- Monitor & Control Multiple Electric Fences in Real-Time
- Works with JVA's range of IP Energisers™ and IP Monitors

## How it Works.



# Cables, Wire & Clamps



## Super Conductive Joule Power Underground Cable

- Aluminium coated twin wire for greater current carrying capacity
- 8 times the conductivity of single 2.5mm (3/32") galvanised wire
- Ideal lead-out cable from power source
- High quality extra heavy duty mono coated red polymer insulation
- Low resistance—only 4.0 ohms per 1000m (3280')



## High Conductive Ally Clad Underground Cable

- Strainrite's 2.6mm (7/64")
- Aluminium clad wire has 4 times the conductivity of standard galvanised wire, meaning high power transmission with minimal loss
- Now features 8.3mm (21/64") extra heavy duty double coated red LDPE Polyethylene sheathing
- Low resistance 8ohms / 1000m (3280')



## Joint Clamps

- Clamps live or earth wire to ensure good electrical connection.
- Claw type galvanised wire joining clamps.

### Lead Out Cable, Wire & Clamps

CODE	DESCRIPTION	LENGTH (m)
WFFCA00490	Super Conductive UG Cable Joule Power 100m	100
WFFCA00495	Super Conductive UG Cable Joule Power 200m	200
WFFCA00502	High Conductive Cable Ally Clad 2.6mm x 8.3mm x 50m Reel	50
WFFCA00512	High Conductive Cable Ally Clad 2.6mm x 8.3mm x 100m Reel	100
WFFCA00515	High Conductive Cable Ally Clad 2.6mm x 8.3mm x 100m	100
WFFCA00520	High Conductive Cable Ally Clad 2.6mm x 8.3mm x 200m	200
WFJC	Electric Fence Joint Clamps	



# Insulators & Earthing

## High Strain End Insulator

- Suitable for high strain uses
- Defined high wall channels for increased insulation
- Long-life UV stabilised plastic providing high performance 12 year guarantee



## Quick Clip Insulator Tie

- Joule Shield High Strain End Insulator with preformed wire loop.



## Super Earth Kit

- A highly effective earth system for electric fences
- Kit includes : Salt, Bentonite Clay, Earth Clamp, Stainless Steel Rod



## Insulators & Earthing

CODE	DESCRIPTION	QTY
WFFIN55030	JS High Strain End Insulator	25
WFFIN00027	JS Quick Clip Insulator Tie	5
WFSEK	Westonfence™ Super Earth Kit	1
WFES2	Westonfence™ 2m Earth Stake	1

# Joiners

## Ezecrimp 3 in 1 Tool



- Lightweight and compact
- Comfortable rubber grips
- Compatible with Strainrite Crimp sleeves ONLY

## Ezepull 4 in 1 Tool



- Lightweight and compact
- Comfortable rubber grips
- Compatible with Strainrite Crimp sleeves ONLY

## Ultracrimp5 in 1 Tool



- Lightweight and compact
- Comfortable rubber grips
- Compatible with Strainrite Crimp sleeves ONLY



## ProCrimp Power Crimp Tool Kit

- The PROCIMP: Powered crimping tool
- For crimping Strainrite Crimp Sleeves ONLY
- Ideal for fencing contractors and for use in the agricultural and horticultural industries.

## Crimp Sleeves



- Crimp sleeves make fast, easy wire joins that exceed the breaking strain of the wire!

Joiners		
CODE	DESCRIPTION	QTY
WFFEZ00055	Ezecrimp 3 in 1 Tool   Use with 2.50mm, 3.15mm, 4.00mm, 5.00mm, Electric & Barbed Wire Crimp Sleeves	
WFFEZ00050	Ezepull 4 in 1 Tool   Use with 2.50mm Crimp Sleeves	
WFFEZ00060	Ultracrimp 5 in 1 Tool   Use with 2.50mm, 3.15mm, 4.00mm, 5.00mm, Electric & Barbed Wire Crimp Sleeves	
WFFCR00010	ProCrimp Power Crimp Tool Kit	
WFFWC00024	Crimp - 2.50mm Pottle 100	100
WFFWC00122	Crimp - 2.50mm Container 1000	1000
WFFWC00124	Crimp - 2.50mm Pottle 500	500
WFFWC00034	Crimp - 3.15mm Crimps Pottle 50	50
WFFWC00132	Crimp - 3.15mm Container 1000	1000
WFFWC00134	Crimp - 3.15mm Pail 500	500
WFFWC00018	Crimp - Barbed Crimps 50	50
WFFWC00014	Crimp - Electric Crimps 50	50

# Fencing Tools

## FX2 Swivel Grab Chain Strainer



- Two swivel ends for left/right-hand use
- Improved casting design

Code: WFFCS00600

## RX2 Contractor Chain Strainer



- Removable threaded handle. 21.5mm (7/8") Diameter

Code: WFFCS00702

## FX2 Contractor Chain Strainer



- FX2 Fixed Handle Contractor Chain Strainer

Code: WFFCS00700

## Wire Tension Gauge



- Easy to read scale
- Prevents wire damage by using correct tension

Code: WFFCS00505

## Fencing Pliers



- Traditional style staple puller, with hammer face, cuts, grips & twists fencing wire
- Single tooth jaws for lifting and pulling staples

Code: WFFKX00152

## Contractor Quad Spinner



- Designed for dispensing 1000m coils
- Swing arms for easy reloading
- Twin roller for bearing assembly and casting hub

Code: WFFWJ00345

## Fencing Tools & Equipment

CODE	DESCRIPTION
WFFCS00060	Standard Chain Strainer
WFFCS00600	Swivel Grab FX2 Contractor Chain Strainer - Fixed Handle
WFFCS00700	FX2 Contractor Chain Strainer - Fixed Handle
WFFCS00702	RX2 Contractor Chain Strainer - Removable Handle
WFFCS00012	Chain and Grab
WFFCS00505	Wire Tension Gauge
WFFKX00152	Fencing Pliers
WFFWJ00345	Contractor Quad Spinner
WFFCS21010	1.8m Chain / Grab / Hook
WFFCS21020	3.0m Chain / Grab / Hook



*a good story ... a cracking good fence!*

## **KEEP IN TOUCH**

1800 133 623

[westonfence.com.au](http://westonfence.com.au)

[sales@westonfence.com.au](mailto:sales@westonfence.com.au)

6 Langlands Street Parkes NSW 2870

Duncan Abbey 0497 850 400

Anthony Fitzgerald 0448 450 821

Jayden Stratton 0467 713 531

